

PRODUCT ID	DESCRIPTION	LIST PRICE(EUR)
Compatible Parts List For Model:WT41N0 : Charging		
CBL-DC-388A1-01	DC Line Cord for running the single slot cradles or battery chargers from a single Level VI power supply PWR-BGA12V50W0WW, Level VI replacement for PWRS-14000-148R	7.36
PWR-BGA12V108W0WW	Level VI AC/DC Power Supply Brick. AC Input: 100-240V, 2.8A. DC Output: 12V, 9A, 108W. Requires: DC line cord and Country specific grounded AC line cord.	85.90
PWR-BGA12V50W0WW	Level VI AC/DC Power Supply Brick. AC Input: 100-240V, 2.4A. DC Output: 12V, 4.16A, 50W. Requires: DC line cord and Country specific AC grounded Line Cord	40.09
CBL-DC-382A1-01	DC line cord for running multi-slot cradles from a single LEVEL VI Power Supply PWR-BGA12V108W0WW, LEVEL VI replacement for PWRS-14000-241R	21.27
BTRY-WT40IAB0H	Extended Capacity Lithium Ion Battery, for WT40x0 terminal spare	98.17
25-68596-01R	USB Client Communication Cable for Cradle to the host system.	13.91
BTRY-WT40IAB0E	Battery, Lithium Ion, for WT40x0 terminal spare	73.63
BTRY-WT40IAB0H-IN	Extended Capacity Lithium Ion Battery 4800mAh, for WT4X terminal certified for India and South Korea	98.17
BTRY-WT40IAB0E-IN	Standard Capacity Lithium Ion Battery 2330mAh, for WT4X terminal certified for India and South Korea	73.63
25-85991-01R	Cable: inchYinch power cable, for running both a CDR4000-4000ER and an SAC4000-4000CR off a single PWRS-14001-241R power supply.	22.91
25-85992-01R	4-way DC cable. For running four CRD4000-1000UR cradles or four SAC4000-4000CR battery chargers off a single PWRS-14000-241R power supply not compatible with Level VI Power Supply.	36.81
Compatible Parts List For Model:WT41N0 : Cradles		
SAC4000-411CES	International four-bank battery charger kit, includes Charger SAC4000-4000CR, PS PWR-BGA12V50W0WW and DC Cable CBL-DC-388A1-01. Purchase country specific grounded AC power line cord separately.	328.88
SAC4000-410CES	WT41N0 four-slot battery charger kit, includes Charger SAC4000-4000CR, PS PWR-BGA12V50W0WW, DC Cable CBL-DC-388A1-01 and US AC Line cord 23844-00-00R.	337.06

CRD4001-411EES	WT4X Four slot Ethernet Cradle Kit includes: 4 Slot Ethernet cradle, corresponding Power Supply and DC Line Cord. Order 3-wire grounded country specific AC Line Cord separately.	670.84
CRD4000-110UES	WT4X Single-Slot Cradle Kit: includes cradle CRD4000-1000UR, corresponding Power Supply, DC Line Cord, US 3-wire grounded AC line cord 23844-00-00R and USB cable 25-68596-01R	233.16
CRD4000-111UES	WT4X Single-Slot Cradle International Kit: includes cradle CRD4000-1000UR, corresponding Power Supply, DC Line Cord and USB cable 25-68596-01R. Order country specific 3-wire grounded AC Line Cord separately.	224.98
CRD4001-4000ER	WT4X 4 Slot Ethernet cradle. Must Order Power Supply PWR-BGA12V108W0WW, DC Line Cord CBL-DC-382A1-01, and 3-wire Grounded Country Specific AC Line Cord separately.	548.13
SAC4000-4000CR	WT4X Four Slot Battery Charger. Requires PWR-BGA12V50W0WW, DC cable CBL-DC-388A1-01 and 3-wire grounded country specific AC line cord, sold separately.	269.97
CRD4000-1000UR	WT4X Single Slot USB Cradle with Spare Battery Charger. Requires PWR-BGA12V50W0WW, DC cable CBL-DC-388A1-01 and 3-wire grounded country specific AC line cord, sold separately.	163.62
21-86630-01R	Wall Mount bracket that allows one CRD4000-4000ER 4-slot Ethernet cradle and one SAC4000-4000CR 4-bay battery charger to be mounted on a wall in as space-efficient a manner as possible.	143.17
RDUYS08220007	Adapter used to connect USB hub, keyboard, or mouse to WT4090 single-slot USB cradle CRD4000-1000UR. This adapter has a USB mini A connector to USB A Female connector. This puts the terminal into host mode, allowing one to use a mouse or keyboard with the terminal.	4.09
Compatible Parts List For Model:WT41N0 : KIT		
WT41N0-RS419-BTRYE	WT41N0 kit includes WT41N0-N2S27ER terminal, RS419-HP2000FSR ring scanner, and spare battery, BTRY-WT40IAB0E	3206.95
Compatible Parts List For Model:WT41N0 : Line Cords - Grounded		
50-16000-219R	AC Line Cord, 1.8M, three wire, grounded BS1363 plug. Associated Countries: United Kingdom, Hong Kong, Cyprus, Ireland, Malta, Malaysia and Saudi Arabia	12.27

50-16000-671R	AC Line Cord, 1.8M grounded, CIE 23-16 plug. Associated Country: Italy	12.27
50-16000-220R	AC Line Cord, 1.8M, grounded, three wire CEE 7/7 plug. Associated Countries: Europe, Abu Dhabi, Bolivia, Dubai, Egypt, Iran, Korea, Russia, Vietnam	8.18
23844-00-00R	AC Line Cord, 7.5 feet long, grounded, three wire. Associated Country: US	8.18
50-16000-256R	AC Line Cord, 1.8M, grounded, three wire, CEE7/7 plug. Associated Country: Korea	8.18
50-16000-672R	AC Line Cord, 1.9M grounded, three wire, S132 Plug. Associated Country: Israel	20.45
50-16000-669R	AC Line Cord, 1.9 M grounded, three wire, BS 546 Plug. Associated Country: India	12.27
50-16000-678R	AC Line Cord, 36inchL grounded, three wire. Associated Country: United States	8.18
50-16000-727R	AC Line Cord, 1.9M grounded, three wire. Associated Country: Brazil	12.27
50-16000-217R	AC Line Cord, 1.9M, grounded, three wire, AS 3112 plug. Associated Country: Australia, New Guinea	8.18
50-16000-221R	AC Line Cord, 1.8M, grounded, USA NEMA 5-15P. Associated Country: United States.	12.27
50-16000-257R	AC Line Cord, 1.8M, grounded, three wire, IEC 60320 C13 plug. Associated Country: China	8.18
50-16000-218R	AC Line Cord, 1.8M, grounded, three wire, NEMA 1-15P plug. Associated Country: Japan	8.18

Compatible Parts List For Model:WT41N0 : Miscellaneous

SG-WT4024000-01R	Protective Skin for WT40X0 terminal	4.91
KT-114032-02R	Set of 3 protective overlays for WT4090 Touch Panel mandatory for use with touch panel	12.27

Compatible Parts List For Model:WT41N0 : Mounting Accessories

SG-WT4023221-03R	Standard spare straps 8inch and 11inch length	7.36
11-08062-02R	Universal rugged belt for hip holster.	26.18
SG-WT4023221-04R	Long spare straps 13inch and 16inch length	8.18
SG-WT4026000-20R	Freezer pouch to use when using an extended battery with the WT4090 wearable terminal. Can be hip- or wrist-mounted wrist mounting requires straps, sold separately.	53.18
SG-WT4023020-06R	Wrist mount with long straps 13inch and 16inch length	45.00
SG-WT4023020-05R	Wrist mount with standard straps 8inch and 11inch length	45.00
SG-WT4027050-01R	Package of 5 Arm Sleeves to wear under the WT40X0 wrist mount if extra layer is preferred	28.63
SG-WT4023021-02R	Replacement pad for WT4000 series wrist mount	10.64

SG-WT4021010-01R	WT4000 series Hip mount: for use with standard battery	24.54
Compatible Parts List For Model:WT41N0 : RS309 Back-of-Hand Scanner		
25-85767-02R	RS309 Trigger Cable with extra ruggedization for freezer use	22.09
Compatible Parts List For Model:WT41N0 : RS409 Ring Scanner		
SG-WT4015231-01R	RS409 replacement trigger assy qty 1	22.09
Compatible Parts List For Model:WT41N0 : RS419 Ring Scanner		
21-93022-03R	Short replacement finger strap for RS409/RS419 6inch	11.04
RS419-HP2000FSR	Ring scanner to cable to arm-worn WT4X90 and WT41N0, with HP engine and freezer rating	764.92
SG-RS419-FGSTP-02R	Long replacement finger strap for RS409/RS419 7.8inch	11.04
SG-RS419-TRGAS-01R	RS419 Replacement Trigger Assembly	22.09
RS419-HP2000FLR	Ring scanner to cable to waist-worn WT4X90 and WT41N0, with HP engine and freezer rating	777.20
Compatible Parts List For Model:WT41N0 : RS507 Wearable Imager		
RS507-IM20000CTWR	RS507 Hands-Free Imager. a 2-finger mounted barcode imager with manual trigger and corded adaptor to the WT4090 wearable terminal. Requires extended capacity battery for the WT4090.	928.54
RS507-IM20000ENWR	RS507 Hands-Free Imager, a 2-finger mounted barcode imager without manual trigger for auto-triggering using the Intelligent Sensing Technology IST with extended capacity battery for Bluetooth interface to supported mobile computer	883.55
RS507-IM20000STWR	RS507 Hands-Free Imager, a 2-finger mounted barcode imager with manual trigger and standard capacity battery for cordless Bluetooth interface to supported mobile computer	863.10
KTBTRYRS50EAB02-01	RS507 Extended Battery 1940mAh, 3.7V	77.72
KTBTRYRS50EAB00-01	RS507 Standard Battery 970mAh, 3.7V	57.27
SAC5070-801CR	RS507 8-battery Charger with external power supply WITHOUT an AC cord for charging both the standard and the extended capacity batteries of the RS507	523.58
KT-CLMPT-RS507-01R	RS507 replacement trigger swivel assembly. Does not include strap or buckles.	89.99
KT-STRPT-RS507-10R	RS507 replacement velcro straps, to be used with manual trigger configuration pack of 10	53.18
50-16000-182R	AC line cord, 1.8M un-grounded, two wire. Associated Countries: United States	4.09

SAC5070-800CR	RS507 8-battery Charger with external power supply and a US AC cord for charging both the standard and the extended capacity batteries of the RS507	527.67
PWRS-0102246H54R	Power Supply 100-240VAC, 12VDC, 5A used with SAC5070 battery charger for RS507.	62.99
KT-PAD-RS507-10R	RS507 replacement comfort pads, to be used with manual trigger configurations pack of 10	60.54
KT-STRPN-RS507-10R	RS507 replacement velcro straps, to be used with triggerless configurations pack of 10	33.54
KT-BKL-RS507-10R	RS507 buckles, to be used with velcro strap on manual trigger and triggerless configurations pack of 10	20.45
KT-CLMPN-RS507-01R	RS507 replacement strap holder, to be used with triggerless configurations. Does not include strap or buckles	27.00

Compatible Parts List For Model:WT41N0 : Service Contracts Recommended -For List of All Service Contracts, go to the Respective Service Model

Z1AE-WT41XX-3503	3 YEAR(S) ZEBRA ONECARE ESSENTIAL, 3 DAY TAT, FOR WT41XX, PURCHASED WITHIN 30 DAYS, WITH COMPREHENSIVE COVERAGE AND REFRESH FOR STANDARD BATTERY. INCLUDES COMMISSIONING. MINIMUM ORDERABLE QUANTITY IS 10.	484.77
Z1AE-WT41XX-5500	5 YEAR(S) ZEBRA ONECARE ESSENTIAL, 3 DAY TAT, FOR WT41XX, PURCHASED WITHIN 30 DAYS, WITH COMPREHENSIVE COVERAGE AND REFRESH FOR STANDARD BATTERY. MINIMUM ORDERABLE QUANTITY IS 10.	714.97
Z1AE-WT41XX-5503	5 YEAR(S) ZEBRA ONECARE ESSENTIAL, 3 DAY TAT, FOR WT41XX, PURCHASED WITHIN 30 DAYS, WITH COMPREHENSIVE COVERAGE AND REFRESH FOR STANDARD BATTERY. INCLUDES COMMISSIONING. MINIMUM ORDERABLE QUANTITY IS 10.	818.54
Z1AS-WT41XX-3503	3 YEAR(S) ZEBRA ONECARE SELECT, ADVANCED REPLACEMENT, FOR WT41XX, PURCHASED WITHIN 30 DAYS, WITH COMPREHENSIVE COVERAGE AND REFRESH FOR STANDARD BATTERY. INCLUDES COMMISSIONING. MINIMUM ORDERABLE QUANTITY IS 10.	520.58

Z1AS-WT41XX-5503	5 YEAR(S) ZEBRA ONECARE SELECT, ADVANCED REPLACEMENT, FOR WT41XX, PURCHASED WITHIN 30 DAYS, WITH COMPREHENSIVE COVERAGE AND REFRESH FOR STANDARD BATTERY. INCLUDES COMMISSIONING. MINIMUM ORDERABLE QUANTITY IS 10.	877.58
Z1AE-WT41XX-3C00	3 Year Zebra OneCare Essential. Includes Comprehensive Coverage. Does not include coverage for Ring Scanner or cradle. Not applicable for WT41N0-V1H27ER	392.02
Z1AE-WT41XX-5C00	5 Year Zebra OneCare Essential. Includes Comprehensive Coverage. Does not include coverage for Ring Scanner or cradles. Not applicable for WT41N0-V1H27ER	653.37
Z1AS-WT41XX-3C03	3 Year Zebra OneCare Select. Includes Comp Coverage. Does not include coverage for Ring Scanner or cradle. Requires customer-supplied spares pool in NA, not available for LA. Not applicable for WT41N0-V1H27ER	489.78
Z1AS-WT41XX-5C03	5 Year Zebra OneCare Select. Includes Comprehensive Coverage. Does not include coverage for Ring Scanner or cradles. Requires customer-supplied spares pool in NA, not available for LA.	815.98
Z1AE-WT41XX-3500	3 YEAR(S) ZEBRA ONECARE ESSENTIAL, 3 DAY TAT, FOR WT41XX, PURCHASED WITHIN 30 DAYS, WITH COMPREHENSIVE COVERAGE AND REFRESH FOR STANDARD BATTERY. MINIMUM ORDERABLE QUANTITY IS 10.	422.82

Compatible Parts List For Model:WT41N0 : Standard Configurations

WT41N0-N2H27ER	Wearable, Non Touch Display, Double Tap Keypad, 1GB/2GB Memory, 802.11 A/B/G/N, CE7 OS, Extended Battery. Please order mounting softgoods and scanners separately.	2392.94
WT41N0-V1H27ER	Voice Only Wearable VOW, No Display, 3 Keys, 1GB/2GB Memory, 802.11 A/B/G/N, CE7 OS, Extended Battery. Please order mounting softgoods and scanners separately.	1595.30
WT41N0-T2S27ER	Wearable, Touch Display, Double Tap Keypad, 1GB/2GB Memory, 802.11 A/B/G/N, CE7 OS, Standard Battery. Please order mounting softgoods and scanners separately.	2450.21

WT41N0-T2H27ER	Wearable, Touch Display, Double Tap Keypad, 1GB/2GB Memory, 802.11 A/B/G/N, CE7 OS, Extended Battery. Please order mounting softgoods and scanners separately.	2474.75
WT41N0-N2S27ER	Wearable, Non Touch Display, Double Tap Keypad, 1GB/2GB Memory, 802.11 A/B/G/N, CE7 OS, Standard Battery. Please order mounting softgoods and scanners separately.	2368.40
WT41N0-N2H28ER	Wearable, Non Touch Display, Double Tap Keypad, 1GB/2GB Memory, 802.11 A/B/G/N, CE7 OS, BLE, Extended Battery, US, EU, AND RUSSIA ONLY. Please order mounting soft goods & scanners separately.	2392.94
WT41N0-N2S28ER	Wearable, Non Touch Display, Double Tap Keypad, 1GB/2GB Memory, 802.11A/B/G/N, CE7 OS, BLE, Standard Battery, US, EU, AND RUSSIA ONLY. Please order mounting soft goods & scanners separately	2368.40
WT41N0-T2H28ER	Wearable, Touch Display, Double Tap Keypad, 1GB/2GB Memory, 802.11A/B/G/N, CE7 OS, BLE, Extended Battery, US, EU, AND RUSSIA ONLY. Please order mounting soft goods & scanners separately.	2474.75
WT41N0-T2S28ER	Wearable, Touch Display, Double Tap Keypad, 1GB/2GB Memory, 802.11A/B/G/N, CE7 OS, BLE, Standard Battery, US, EU, AND RUSSIA ONLY. Please order mounting soft goods & scanners separately.	2450.21
WT41N0-T2H57ER	Wearable, Touch Display, Double Tap Keypad, 1GB/8GB Memory, 802.11 A/B/G/N, CE7 OS, Extended Battery. Please order mounting softgoods and scanners separately.	2655.55
WT41N0-N2H27IN	Wearable, Non Touch Display, Double Tap Keypad, 1GB/2GB Memory, 802.11 A/B/G/N, CE7 OS, Extended Battery, INDIA ONLY. Please order mounting softgoods and scanners separately.	2392.94

Compatible Parts List For Model:WT41N0 : Voice-Related Accessories for WT41N0

RCH51	Rugged Cabled headset	216.80
KT-126579-01R	RCH50/RCH51 replacement windsocks to cover microphone, pkg of 5	40.91
KT-126574-01R	RCH50/RCH51 replacement earpads freezer rated, pkg of 5 foam	39.27
KT-126581-01R	RCH50/RCH51 replacement headband pads, pkg of 5	32.72
KT-133525-01R	RCH50/RCH51 replacement earpads non-freezer rated, pkg of 5 leatherette	47.45

25-129938-02R	RCH50/RCH51 training cable - Y Cable to connect two RCH50/RCH51 headsets to one mobile computer	57.27
KT-133524-01R	RCH50/RCH51 replacement windsocks non-freezer rated to cover microphone, pkg of 5	12.27
KT-126582-01R	RCH50/RCH51 replacement temple pads, pkg of 5	36.81
KT-110828-01R	Connector shroud for WT4000 headset adapter. Snap-fit part to protect disconnect button.	4.50
KT-126580-01R	RCH50/RCH51 replacement earpads, pkg of 5 leatherette	81.81